

ADVERTISEMENT FOR BIDS

Notice is hereby given that **reverse auction bids** will be received by the Adams County Board of Supervisors for the purchase, from the lowest and best bidder(s), of the following items as needed, for the Department of Road Management, for an **Excavator or an Equivalent Bid; Backhoe or an Equivalent Bid; 4-Wheel Drive Loader or an Equivalent Bid.**

Reverse Auction Bidding will respectively commence at 10:00 A. M., Thursday, June 4, 2020 at the County Administration Building, 314 State Street, Natchez, Mississippi.

Please review the Adams County Board of Supervisors website for steps to handling your reverse auction bids at <https://www.adamscountyms.net/>

Bidders wanting to access the reverse auction via telephone will be able to do so by calling 601-304-8098 at 10:00 a.m. C.S.T.

Bids submitted with qualifications or exceptions will not be considered.

Final Bid pricing is to be firm and not subject to change during the period specified above.

The Board of Supervisors reserves the right to waiver informalities and to reject any and all bids.

FRANCES BELL
PURCHASE CLERK
601-445-7941 or 601-597-3160

BRANDI LEWIS
CHANCERY CLERK

ADAMS COUNTY, MISSISSIPPI

PUBLICATION DATES:

May 13, 2020
May 20, 2020

Bid Opening: June 4, 2020

**Excavator or Equivalent Bid Specifications
For the Adams County Department of Road Maintenance, 2020**

Driveline:	Minimum output, new KW (HP) 119 (159) must be Tier 4 Emulsion Rating Minimum track rollers, each side shall have at least 4 tracks Show width, MM (Inches) 790 (31) No. of Cylinders (per Engine) 4 or more
Dimensions:	Track length to ground, MM (Ft./In.) 3350 (11 Feet), Transportation height-Max, MM (Ft./In.) 3010 (9 Ft/11 In), Ground Clearance MM (Inches) 450 (17.72) Digging Reach, 32 Feet, 4 Inches, Maximum Digging Depth 6.67 M (21 Ft/11 In)
Capacities:	Minimum 24-Voltage, with 2 Batteries, Hydraulic Tank, Min. 115 Liters Fuel Tank, Min. 345
Performance:	Travel Speed-High KPH (MPH) 55 (3.4) Ground Bearing Pressure, PSI 5.47 or less
Weight:	Operating Weight Kg. (Lbs.) 23, 161 (51, 061)
Warranty:	Machine will include in the purchase price, an Extended Warranty for the Powertrain and Hydraulics for a Period or not less than Sixty (60) Months or 2,500 Hours
Buybacks:	48-Months and 60-Months Machine Buybacks must be provided with Submitted Bids
Other:	Bidder shall have a certified parts and service center located Within 50 miles of Natchez, MS, Adams County Must give estimate time of delivery Cost must include delivery to one of the county facilities.

Name of Company:

Address of Company:

Contact Number:

Location of Service Center:

Name of Seller:

Signature of Seller:

**Backhoe or Equivalent Bid Specifications
For the Adams County Department of Road Maintenance, 2020**

- Driveline: Minimum output, no less than 113 hp
Must be Tier4 emulsion rating
Maximum transport speed 24.9 mph
Park brake shall be independent of service brakes
- Capacities: No less than 34-gal fuel tank
Shall have built in vehicle tie downs
- Performance: Travel speed-high kph(mph) 55 (3.4)
Parking brake shall be hydraulically boosted, oil disc,
and dual pedals interlocking
- Weight: Operating weight 19,500 lb
- Backhoe: Digging depth shall be at least 15ft 10 in
Lift capacity no less than 3136 lb
Digging force, bucket cylinder at least 15,723 lb
- Loader: Minimum 1.3 cu yd claw bucket
Lift capacity with bucket shall be at least 7,149 lb
Dump clearance no less than 8 ft 10 in
- Warranty: Machine will include in the purchase price, an extended
warranty for the powertrain and hydraulics for a period of
not less than 60 months or 2,500 hours
- Buybacks: 48- and 60-months machine buybacks must be provided
- Other:
- Bidder shall have a certified parts and service center located within 50 miles of Natchez, MS Adams County
 - Must give estimate time of delivery.
 - Cost must include delivery to one of the county barns.

Name of Company:

Address of Company:

Contact Number:

Location of Service Center:

Name of Seller:

Signature of Seller:

**4 Wheel Drive Loader or Equivalent Bid Specifications
For the Adams County Department of Road Maintenance, 2020**

- Driveline: Minimum output, no less than 166 hp
Must be Tier4 emulsion rating
6 cylinders
Shall have an auto-idle, auto-shut down feature for engine
- Capacities: Min 24 voltage, with 2 batteries
Hydraulic tank, 21.7 gal
Fuel tank, min 51.5 gal
- Performance: Travel speed-high kph(mph) 55 (3.4)
Parking brake shall be electric, spring applied, hydraulically released
- Weight: Operating weight 31382 lb
- Dimensions: Must be claw bucket min 3 cu yd
Ground clearance under loader shall be no less 15”
Loader w/attachment coupler & bucket shall have height to hinge not less 12’9”
Reach at 45°dump, 7 ft clearance shall be no less than 5 ft with 3 cu yd bucket
- Warranty: Machine will include in the purchase price, an extended warranty for the powertrain and hydraulics for a period of not less than 60 months or 2,500 hours
- Buybacks: 48- and 60-months machine buybacks must be provided
- Other:
- Bidder shall have a certified parts and service center located within 50 miles of Natchez, MS Adams County
 - Must give estimate time of delivery.
 - Cost must include delivery to one of the county barns.

Name of Company:

Address of Company:

Contact Number:

Location of Service Center:

Name of Seller:

Signature of Seller:
